## **AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

- 1. (Currently amended): A purified nucleic acid comprising a nucleotide sequence that encodes a naturally occurring protein that: (a) shares at least 80% sequence identity with SEQ ID NO:2 and (b) has at least one functional activity of native an XB3 protein.
- 2. (Currently amended): The nucleic acid of claim 1, wherein the nucleotide sequence defines a polynucleotide whose complement hybridizes under high stringency conditions to the nucleotide sequence of comprises SEQ ID NO:1.
- 3. (Original): The nucleic acid of claim 1, wherein the protein has an amino acid sequence consisting of SEQ ID NO:2.
- 4. (Original): The nucleic acid of claim 1, wherein the protein specifically binds to XA21.
  - 5. (Original): A vector comprising the nucleic acid of claim 1.
- 6. (Original): The vector of claim 5, wherein said nucleic acid is operably linked to one or more expression control sequences.
  - 7. (Currently amended): A cell comprising the <u>purified</u> nucleic acid of claim 1.
  - 8. (Canceled)
  - 9. (Canceled)
  - 10. (Canceled)

11. (Canceled)

12. (Canceled)

13. (Canceled)

14. (Canceled)

15. (Canceled)

16. (Canceled)

17. (Canceled)

18. (Canceled)

- 19. (Currently amended): A method of modulating disease resistance modifying a plant cell or seed, the method comprising the steps of:
  - (a) providing a plant cell or seed having a first disease resistance phenotype;
- (b) introducing into the plant cell or seed a purified nucleic acid comprising a nucleotide sequence that encodes a naturally occurring protein that: shares at least 80% sequence identity with SEQ ID NO:2 and that encodes an has at least one functional activity of native XB3 protein to create a transformed plant cell or seed[[,]]

wherein the purified nucleic acid is selected such that it produces a second disease resistance phenotype in the transformed plant cell or seed that differs from the first disease resistance phenotype.

20. (Currently amended): The method of claim 19, wherein the naturally occurring protein lacks at least one functional activity of native XB3 selected from the group consisting of: ability to bind XA21, ability to be phosphorylated by XA21, and ubiquitin ligase activity.

- 21. (Canceled)
- 22. (Canceled)
- 23. (Canceled)
- 24. (Canceled)